

**METRONOME™** ARTICULATING FLOOR LAMP

THE METRONOME SERIES EVOKES THE MEASURE AND BALANCE OF ITS NAMESAKE. A PATINATED BRASS SPHERE PERCHES ATOP THE CONICAL BASE, WHICH IS HAND-WRAPPED IN CALF SUEDE TO PROVIDE A LUSH TACTILE CONTRAST. A CHANNEL IN THE FIRMLY GROUNDED BASE REVEALS AN INTIMATE CONNECTION BETWEEN THE TWO FORMS. A DIMMER KNOB IS SET INTO THE BASE.

A P P A R A T U S

# METRONOME™ ARTICULATING FLOOR LAMP

DIMENSIONS: 44"-60" H, ROTATING ARM 37.5" L

LAMPING: MAX 60W EACH

1 3W DIMMABLE LED BULB INCLUDED

240 LUMENS EACH, 2500K COLOR TEMPERATURE


BULB LIFE: 30,000 HOURS

120V: E26 GLOBE M: MATTE WHITE, Ø 1.75"

240V: E27 GLOBE M: MATTE WHITE, Ø 1.75"

UL APPROVED

VOLTAGE: 120-240



A P P A R A T U S



**METRONOME™** FLOOR LAMP

THE METRONOME SERIES EVOKES THE MEASURE AND BALANCE OF ITS NAMESAKE. A PATINATED BRASS SPHERE PERCHES ATOP THE CONICAL BASE, WHICH IS HAND-WRAPPED IN CALF SUEDE TO PROVIDE A LUSH TACTILE CONTRAST. A CHANNEL IN THE FIRMLY GROUNDED BASE REVEALS AN INTIMATE CONNECTION BETWEEN THE TWO FORMS. A DIMMER KNOB IS SET INTO THE BASE.


A P P A R A T U S

# METRONOME™ FLOOR LAMP

DIMENSIONS: 57" H, Ø 18"

LAMPING: MAX 60W EACH  
2 DIMMABLE LED BULBS INCLUDED  
120V: E12 TYPE A26 BULBS, 6W  
240V: E14 TYPE B40 BULBS, 8W

UL APPROVED  
VOLTAGE: 120-240



A P P A R A T U S





**METRONOME™** TABLE LAMP

THE METRONOME SERIES EVOKES THE MEASURE AND BALANCE OF ITS NAMESAKE. A PATINATED BRASS SPHERE PERCHES ATOP THE CONICAL BASE, WHICH IS HAND-WRAPPED IN CALF SUEDE TO PROVIDE A LUSH TACTILE CONTRAST. A CHANNEL IN THE FIRMLY GROUNDED BASE REVEALS AN INTIMATE CONNECTION BETWEEN THE TWO FORMS. A DIMMER KNOB IS SET INTO THE BASE.


A P P A R A T U S

# METRONOME™ TABLE LAMP

DIMENSIONS: 22" H, Ø 13.5"

LAMPING: MAX 60W EACH  
2 DIMMABLE LED BULBS INCLUDED  
120V: E12 TYPE A26 BULBS, 6W  
240V: E14 TYPE B40 BULBS, 8W

UL APPROVED  
VOLTAGE: 120-240



A P P A R A T U S